

6"

Vera™ - SUBMERSIBLE MULTISTAGE BOREHOLE ELECTRIC PUMPS FOR DEEP WELLS for min. 6-inch COMPLETE WITH 2 POLE MOTORS TO NEMA STANDARD.

PUMP CONSTRUCTION

Executions:

- P** = noryl and polycarbonate corrosion and abrasion resistant and non toxic with Pump and Motor Casing in Stainless Steel. Pump Head and Motor Bracket in in Brass.
- S** = All Stainless Steel.
- G** = Cast Iron with Motor Casing in Stainless Steel.

SUBMERSIBLE ELECTRIC MOTORS

4-inch

- Rewindable.
- Oil cooled (prefilled with food grade additives to protect against freeze and rust).

6-inch

- Rewindable.
- Oil cooled (prefilled with food grade additives to protect against freeze and rust).

8-inch

- Rewindable.
- Wet type water-cooled.

INNOVATIONS AND SPECIALTIES

On demand all wetted parts available with grade 304 or 316 stainless steel or bronze.
Executions for superior sand handling able to handle a tolerable quantity of sand.

INTELLIGENT CONTROL SYSTEMS

All pumps can be supplied with Protection and Control Boxes: Panel-Starters, Intelligent control systems, Electric-Electronic Controls Panels also with Variable Speed Inverters.

MOTOR SIZE

All pumps up to 7,5 HP included are fitted with 4-inch size electric motors; Pumps with metallic impellers (cast iron or brass) all fitted with 6-inch size electric motors.
From 10 HP to 50 HP all pumps are fitted with 6-inch size electric motors.
From 60 HP onwards all pumps are fitted with 8-inch size electric motors.

STAINLESS STEEL



TYPES		HP	KW	DNm Ø	Q = Performance at 2900 rpm																				Impeller material	Impeller RA=radial MF=mixed flow	no of impellers	Electropump Height in mms	Electropump Weight in kg					
1~ 230V 50Hz	3~ 400V 50Hz				m³/h	0	3	6	9	12	15	18	21	24	27	30	33	36	39	42	48	54	60	66						72	78	84	90	96
6000-S4	6000-S4T	0,75	0,55	2"1/2	15	14	13	13	12	10	9	8	6																	Stainless Steel	RA	1	668	12,60
6100-S4	6100-S4T	1,5	1,1	2"1/2	26	24	24	23	21	20	17	14	11																Stainless Steel	RA	2	788	16,70	
6200-P4	6200-P4T	2	1,5	3"	30				27	25	23	21	19	16	12	8	4												Noryl	MF	2	822	20,40	
6300-P4	6300-P4T	3	2,2	3"	84	81	74	64	49	29																			Noryl	RA	5	948	22,60	
6305-P4	6305-P4T	3	2,2	2"1/2	80	78	72	62	47																				Noryl	MF	5	1080	28,30	
6310-P4	6310-P4T	3	2,2	2"1/2	63	62	61	57	53	43	31																		Noryl	MF	4	1045	27,70	
6315-P4	6315-P4T	3	2,2	3"	65			60	54	44	32																		Noryl	RA	4	910	23,30	
6325-P4	6325-P4T	3	2,2	2"1/2	50		48	45	42	38	31	24	16	7															Noryl	MF	4	1090	29,60	
6330-S4	6330-S4T	3	2,2	2"1/2	46	45	44	43	40	35	31	25	20																Stainless Steel	RA	4	994	23,50	
6335-P4	6335-P4T	3	2,2	3"	43				37	35	32	30	27	22	17	11	5												Noryl	MF	3	929	23,40	
6340-S4	6340-S4T	3	2,2	3"	27		25	24	23	22	21	20	19	18	17	15	13	11	8										Stainless Steel	MF	2	932	22,60	
6345-P4	6345-P4T	3	2,2	3"	23								18	17	16	15	14	13	12	10	7								Noryl	MF	2	878	22,60	

6" Vera™ - SUBMERSIBLE MULTISTAGE BOREHOLE ELECTRIC PUMPS FOR DEEP WELLS for min. 6-inch COMPLETE WITH 2 POLE MOTORS TO NEMA STANDARD.

TYPES		HP	KW	DNm Ø	Q = Performance at 2900 rpm																				Impeller material	Impeller RA=radial MF=mixed flow	no of impellers	Electropump Height in mms	Electropump Weight in kg					
1~ 230V 50Hz	3~ 400V 50Hz				m³/h	0	3	6	9	12	15	18	21	24	27	30	33	36	39	42	48	54	60	66						72	78	84	90	96
					l/m	0	50	100	150	200	250	300	350	400	450	500	550	600	650	700	800	900	1000	1100						1200	1300	1400	1500	1600
6400-P4T	4	3	3"	117	112	103	89	69	39																			Noryl	RA	7	972	22,50		
6405-P4T	4	3	2"1/2	113	110	101	88	67																				Noryl	MF	7	1108	28,00		
6410-P4T	4	3	3"	101	96	89	77	59	34																			Noryl	RA	6	934	21,90		
6415-P4T	4	3	2"1/2	80	77	75	71	66	54	38																		Noryl	MF	5	1028	26,90		
6420-P4T	4	3	3"	81			75	67	56	39																		Noryl	RA	5	896	22,60		
6425-P4T	4	3	2"1/2	74		71	68	64	56	47	35	22	12															Noryl	MF	6	1138	29,60		
6430-S4T	4	3	2"1/2	58	56	55	54	50	45	39	31	24																Stainless Steel	RA	5	1003	23,60		
6435-P4T	4	3	2"1/2	46		44	42	40	38	35	33	30	26	22	17	12	7											Noryl	MF	3	1008	25,00		
6440-P4T	4	3	3"	47			42	40	38	35	32	28	24	19	13													Noryl	MF	3	877	22,00		
6445-S4T	4	3	3"	38		35	34	33	32	31	30	28	26	24	22	19	16	13										Stainless Steel	MF	3	976	22,90		
6455-P4T	4	3	3"	33						31	30	28	27	26	24	22	20	17	9									Noryl	MF	2	826	21,30		
6460-P4T	4	3	3"	31		30	30	29	29	28	28	27	26	25	23	21	19	16	10									Noryl	MF	2	958	25,10		
6465-S4T	4	3	3"or 4"	28				26	26	25	25	24	23	22	21	20	19	17	14	11								Stainless Steel	MF	2	914	22,00		
6500-P4T	5,5	4	3"	150	143	131	113	87	50																				Noryl	RA	9	1098	26,30	
6505-P4T	5,5	4	2"1/2	145	139	129	110	84																					Noryl	MF	9	1233	31,60	
6510-P4T	5,5	4	3"	133	127	117	101	78	45																				Noryl	RA	8	1060	25,70	
6515-P4T	5,5	4	2"1/2	129	124	115	99	75																					Noryl	MF	8	1193	31,00	
6520-P4T	5,5	4	2"1/2	96	92	89	85	78	66	48																			Noryl	MF	6	1118	29,90	
6521-S4T	5,5	4	2"1/2	93	89	84	78	69	53	32																		Stainless Steel	RA	8	969	29,30		
6525-P4T	5,5	4	3"	98			89	80	67	46																		Noryl	RA	6	984	25,70		
6535-P4T	5,5	4	2"1/2	87		83	78	74	65	54	41	25	14															Noryl	MF	7	1238	32,70		
6540-S4T	5,5	4	2"1/2	81	78	77	74	69	62	54	42	34																Stainless Steel	RA	7	1174	29,00		
6541-S4T	5,5	4	2"1/2	81	78	74	69	61	46	28																		Stainless Steel	RA	7	939	28,60		
6542-S4T	5,5	4	2"1/2	73	71	70	68	65	60	54	46	35	23															Stainless Steel	RA	6	963	28,00		
6550-S4T	5,5	4	2"1/2	69	67	66	63	59	53	45	36	29																Stainless Steel	RA	6	1113	27,50		
6551-S4T	5,5	4	2"1/2	70	67	63	59	52	40	25																		Stainless Steel	RA	6	909	27,80		
6555-P4T	5,5	4	2"1/2	63		58	56	55	51	48	45	41	36	30	24	17	10											Noryl	MF	4	1118	29,30		
6556-S4T	5,5	4	2"1/2	59	57	53	49	44	34	21																		Stainless Steel	RA	5	879	26,80		
6560-P4T	5,5	4	3"	62				57	54	50	46	42	37	32	25	17												Noryl	MF	4	984	25,40		
6570-P4T	5,5	4	3"	49		47	47	46	46	45	44	42	41	39	36	32	29	25	17									Noryl	MF	3	1068	28,60		
6571-S4T	5,5	4	3"	51				47	45	43	40	37	33	29	25	20												Stainless Steel	RA	4	973	27,80		
6575-S4T	5,5	4	3"	48		45	44	43	42	40	38	36	33	30	28	25	21	17										Stainless Steel	MF	4	1122	27,10		
6580-P4T	5,5	4	3"	50				45	44	42	40	37	35	32	28	24	13											Noryl	MF	3	936	24,70		
6581-S4T	5,5	4	3"	49				41	40	38	36	34	33	30	28	25	21											Stainless Steel	MF	3	1088	30,00		
6582-S4T	5,5	4	3"	39				36	34	32	31	28	25	22	19	15												Stainless Steel	RA	3	926,5	26,80		
6583-S4T	5,5	4	3"	42						36	35	34	32	31	29	28	26	23	19									Stainless Steel	MF	3	1173,5	31,40		
6586-GT	5,5	4	3"	55			47	45	43	41	39	37	34	32	29	26	22	15	8									Cast Iron	MF	3	1130	61,00		
6591-GT	5,5	4	3"	39						29	27	26	25	23	22	21	19	16	13	10								Cast Iron	MF	2	1022	55,00		
6596-GT	5,5	4	3"	37							29	28	27	26	25	23	21	19	16	13	10							Cast Iron	MF	2	1022	55,00		
65100-P4T	5,5	4	3"	28		28	28	27	27	26	25	25	24	23	22	21	20	19	17	14	11	8						Noryl	MF	2	1008	27,90		
65105-S4T	5,5	4	3"or 4"	30				28	27	26	25	24	23	22	21	20	18	16	15	13	10	7						Stainless Steel	MF	2	964	24,50		
65106-S4T	5,5	4	3"	29						25	24	23	22	21	20	19	18	16	13									Stainless Steel	MF	2	1059,5	28,80		
65107-S4T	5,5	4	3"	29																									Stainless Steel	MF	2	1059,5	28,80	
6600-P4T	7,5	5,5	2"1/2	206	197	182	156	121																					Noryl	MF	13	1458	37,10	
6605-P4T	7,5	5,5	3"	200	190	175	150	116	67																				Noryl	RA	12	1282	31,60	

6"

Vera™ - SUBMERSIBLE MULTISTAGE BOREHOLE ELECTRIC PUMPS FOR DEEP WELLS for min. 6-inch COMPLETE WITH 2 POLE MOTORS TO NEMA STANDARD.

TYPES		HP	KW	DNm Ø	Q = Performance at 2900 rpm																				Impeller material	Impeller RA=radial MF=mixed flow	no of impellers	Electropump Height in mms	Electropump Weight in kg					
1~ 230V 50Hz	3~ 400V 50Hz				m³/h	0	3	6	9	12	15	18	21	24	27	30	33	36	39	42	48	54	60	66						72	78	84	90	96
					l/m	0	50	100	150	200	250	300	350	400	450	500	550	600	650	700	800	900	1000	1100						1200	1300	1400	1500	1600
	6610-P4T	7,5	5,5	2"1/2	155	153	149	141	127	105	75																	Noryl	MF	10	1343	35,40		
	6611-S4T	7,5	5,5	2"1/2	149	142	135	125	111	84	51																	Stainless Steel	RA	13	1189	36,10		
	6616-S4T	7,5	5,5	2"1/2	138	132	125	116	102	78	47																	Stainless Steel	RA	12	1159	35,40		
	6620-P4T	7,5	5,5	3"	143			132	118	98	70																Noryl	RA	9	1168	31,00			
	6621-S4T	7,5	5,5	2"1/2	127	121	115	107	94	71	43																Stainless Steel	RA	11	1129	34,60			
	6625-P4T	7,5	5,5	2"1/2	123		118	111	104	92	77	59	35	18													Noryl	MF	10	1458	38,20			
	6630-P4T	7,5	5,5	3"	128			118	105	88	62																Noryl	RA	8	1130	30,30			
	6631-S4T	7,5	5,5	2"1/2	115	110	104	97	86	65	39																Stainless Steel	RA	10	1099	34,10			
	6636-S4T	7,5	5,5	2"1/2	108	106	104	101	96	89	80	67	52	33													Stainless Steel	RA	9	1145,5	33,60			
	6640-P4T	7,5	5,5	3"	112			103	92	77	55																Noryl	RA	7	1092	29,60			
	6641-S4T	7,5	5,5	2"1/2	104	99	94	88	77	59	36																Stainless Steel	RA	9	1069	33,40			
	6642-S4T	7,5	5,5	2"1/2	96	94	93	90	86	80	71	60	46	30													Stainless Steel	RA	8	1108	32,90			
	6645-P4T	7,5	5,5	2"1/2	91		87	83	80	75	71	65	59	51	44	34	24	15									Noryl	MF	6	1303	34,20			
	6650-P4T	7,5	5,5	3"	92			84	79	75	69	63	55	46	36	25											Noryl	MF	6	1168	30,50			
	6651-S4T	7,5	5,5	2"1/2	85	83	81	79	75	70	63	53	41	26													Stainless Steel	RA	7	1070,5	32,10			
	6652-GT	7,5	5,5	3"	89			78	75	71	68	64	60	56	51	47	42	37	26	15							Cast Iron	MF	5	1376	81,00			
	6655-LT	7,5	5,5	2"1/2	88			75	73	70	67	64	59	53	44	35	24										Brass	RA	8	1414	54,50			
	6660-S4T	7,5	5,5	3"	73		70	67	65	63	61	59	55	51	47	42	38	32	27								Stainless Steel	MF	6	1384	33,80			
	6665-P4T	7,5	5,5	3"	65		63	62	61	60	59	57	55	51	48	45	42	37	32	21							Noryl	MF	4	1198	32,60			
	6671-GT	7,5	5,5	3"	72			63	60	58	55	52	48	45	41	38	34	30	21	11							Cast Iron	MF	4	1268	75,00			
	6680-P4T	7,5	5,5	3"	66				60	58	56	53	49	46	42	37	31	31	16								Noryl	MF	4	1066	28,80			
	6685-GT	7,5	5,5	2"1/2	68			62	60	58	56	54	51	48	45	41	36	31	26								Cast Iron	MF	4	1267	70,50			
	6691-S4T	7,5	5,5	3"	63				58	56	53	50	46	41	36	31	24										Stainless Steel	RA	5	1089,5	32,10			
	6692-S4T	7,5	5,5	3"	65				55	53	51	48	46	44	41	38	34	29									Stainless Steel	MF	4	1243,5	35,40			
	6696-GT	7,5	5,5	3"	77					55	52	49	47	44	42	40	35	30	24	18							Cast Iron	MF	4	1268	75,00			
	66101-S4T	7,5	5,5	3"	55						48	46	44	42	40	38	37	33	29	25							Stainless Steel	MF	4	1357,5	37,40			
	66105-S4T	7,5	5,5	3"or 4"	44					42	41	40	39	38	36	34	32	30	28	26	24	20	16	12			Stainless Steel	MF	3	1147	30,10			
	66106-GT	7,5	5,5	3"	59						42	40	38	36	34	33	31	27	23	19	14						Cast Iron	MF	3	1160	69,00			
	66107-GT	7,5	5,5	3"	56							42	41	40	39	37	33	30	27	23	19	14				Cast Iron	MF	3	1160	69,00				
	66110-P4T	7,5	5,5	3"	41		41	41	40	40	39	38	37	36	34	33	31	30	28	24	20	15	10				Noryl	MF	3	1138	31,90			
	66116-S4T	7,5	5,5	3"	43											35	33	32	30	28	26	25	23	20	16		Stainless Steel	MF	3	1243,5	34,70			
	66121-GT	7,5	5,5	3"	35											29	29	28	27	25	23	21	19	17	13	10	7	Cast Iron	MF	2	1052	63,00		
	6700-PT	10	7,5	2"1/2	267	260	240	206	156																			Noryl	MF	17	1665	62,60		
	6705-PT	10	7,5	3"	248	237	218	189	144	83																		Noryl	RA	15	14588	57,00		
	6710-PT	10	7,5	2"1/2	198	196	191	181	165	139	101																	Noryl	MF	13	1520	60,50		
	6716-ST	10	7,5	2"1/2	195	185	176	163	144	109	66																	Stainless Steel	RA	17	1371	62,50		
	6720-PT	10	7,5	3"	191			176	157	130	92																	Noryl	RA	12	1344	56,20		
	6721-ST	10	7,5	2"1/2	183	175	166	154	136	103	62																	Stainless Steel	RA	16	1341	62,00		
	6722-ST	10	7,5	2"1/2	172	165	156	144	128	97	58																	Stainless Steel	RA	15	1311	61,00		
	6725-PT	10	7,5	2"1/2	170		162	154	144	126	103	78	47	22														Noryl	MF	14	1720	64,60		
	6726-ST	10	7,5	2"1/2	161	154	145	135	119	90	55																	Stainless Steel	RA	14	1281	60,30		
	6727-ST	10	7,5	2"1/2	143	141	138	134	127	118	106	89	68	43														Stainless Steel	RA	12	1320	59,80		
	6731-ST	10	7,5	2"1/2	132	129	127	123	117	109	98	82	63	40														Stainless Steel	RA	11	1282,5	59,00		
	6732-ST	10	7,5	2"1/2	120	118	115	112	106	99	89	75	57	37														Stainless Steel	RA	10	1245	59,00		
	6735-PT	10	7,5	2"1/2	122		115	111	106	99	93	85	78	68	58	45	32	20										Noryl	MF	8	1480	59,20		

6" Vera™ - SUBMERSIBLE MULTISTAGE BOREHOLE ELECTRIC PUMPS FOR DEEP WELLS for min. 6-inch COMPLETE WITH 2 POLE MOTORS TO NEMA STANDARD.

TYPES		HP	KW	DNm Ø	Q = Performance at 2900 rpm																				Impeller material	Impeller RA=radial MF=mixed flow	no of impellers	Electropump Height in mms	Electropump Weight in kg					
1~ 230V 50Hz	3~ 400V 50Hz				m³/h	0	3	6	9	12	15	18	21	24	27	30	33	36	39	42	48	54	60	66						72	78	84	90	96
					l/m	0	50	100	150	200	250	300	350	400	450	500	550	600	650	700	800	900	1000	1100						1200	1300	1400	1500	1600
	6740-PT	10	7,5	3"	122				111	105	99	91	83	72	62	47	32											Noryl	MF	8	1344	55,60		
	6745-LT	10	7,5	2"1/2	120			103	100	97	93	89	84	75	64	51	36											Brass	RA	11	1591	59,00		
	6751-GT	10	7,5	3"	107				93	90	85	81	76	71	66	61	55	49	43	30	16						Cast Iron	MF	6	1514	92,00			
	6755-GT	10	7,5	2"1/2	95			87	84	82	79	76	72	69	64	59	52	44	36								Cast Iron	MF	6	1465	82,00			
	6760-ST	10	7,50	3"	83		81	79	77	74	71	67	63	59	54	48	42	36	30								Stainless Steel	MF	7	1542	58,90			
	6761-ST	10	7,5	3"	96				81	78	74	71	67	64	59	55	48	41									Stainless Steel	MF	6	1476	63,00			
	6762-ST	10	7,5	3"	88				80	77	73	69	63	56	49	42	33										Stainless Steel	RA	7	1244,5	57,50			
	6765-PT	10	7,5	3"	78		77	76	75	73	72	69	67	64	61	56	50	44	38	24							Noryl	MF	5	1320	57,80			
	6775-PT	10	7,5	3"	81					75	72	69	65	62	57	53	45	38	20								Noryl	MF	5	1188	53,20			
	6781-ST	10	7,5	3"	81				69	66	63	60	57	54	51	47	42	36									Stainless Steel	MF	5	1390,5	60,90			
	6782-ST	10	7,5	3"	75				69	66	63	60	54	48	43	37	29										Stainless Steel	RA	6	1198	56,50			
	6786-GT	10	7,5	3"	96								69	65	62	59	56	53	49	43	37	30	21			Cast Iron	MF	5	1406	83,00				
	6790-ST	10	7,5	3"or 4"	70				68	66	64	62	60	58	56	53	50	48	46	41	34	26				Stainless Steel	MF	5	1435	58,00				
	6796-ST	10	7,5	3"	69								60	58	55	52	50	48	46	42	37	31				Stainless Steel	MF	5	1533,5	63,30				
	67100-ST	10	7,5	3"	59				57	56	54	51	49	48	46	44	41	39	38	34	29	21				Stainless Steel	MF	4	1322	58,00				
	67101-GT	10	7,5	3"	74									57	55	53	50	48	44	40	35	30	25	19		Cast Iron	MF	4	1298	77,00				
	67105-PT	10	7,5	3"	55		56	55	54	53	51	50	48	47	45	43	41	39	37	32	27	21	14			Noryl	MF	4	1260	56,00				
	67106-ST	10	7,5	3"	57										46	44	42	39	36	34	32	30	26	21		Stainless Steel	MF	4	1419,5	60,80				
	67110-PT	10	7,5	3"	54										44	42	40	38	36	31	25	18	10			Noryl	MF	4	1128	52,10				
	67116-GT	10	7,5	3"	53											43	42	41	39	37	34	31	28	24	19	14	9	Cast Iron	MF	3	1190	71,00		
	6800-PT	12,5	9,3	3"	347	331	304	263	201	115																		Noryl	RA	21	1686	64,00		
	6805-PT	12,5	9,3	2"1/2	332	321	297	253	193																			Noryl	MF	21	1820	67,90		
	6810-PT	12,5	9,3	3"	298	284	262	225	173	99																		Noryl	RA	18	1572	62,00		
	6815-PT	12,5	9,3	2"1/2	247	243	236	223	202	166	121																Noryl	MF	16	1630	65,10			
	6821-ST	12,5	9,3	2"1/2	251	239	227	211	186	141	85																Stainless Steel	RA	22	1521	69,30			
	6822-ST	12,5	9,3	2"1/2	240	228	217	201	178	135	81																Stainless Steel	RA	21	1491	68,50			
	6825-PT	12,5	9,3	3"	238			219	196	163	114																Noryl	RA	15	1458	61,20			
	6826-ST	12,5	9,3	2"1/2	229	218	207	192	169	128	77																Stainless Steel	RA	20	1461	67,80			
	6827-ST	12,5	9,3	2"1/2	217	207	197	182	161	122	73																Stainless Steel	RA	19	1431	67,00			
	6828-ST	12,5	9,3	2"1/2	206	196	186	173	153	116	69																Stainless Steel	RA	18	1401	66,30			
	6830-PT	12,5	9,3	2"1/2	207		196	185	173	151	124	92	55	26													Noryl	MF	17	1870	69,90			
	6831-ST	12,5	9,3	2"1/2	179	175	172	167	159	147	132	111	85	54													Stainless Steel	RA	15	1432,5	65,00			
	6832-ST	12,5	9,3	2"1/2	167	164	161	156	148	138	124	104	80	50													Stainless Steel	RA	14	1395	64,30			
	6833-ST	12,5	9,3	2"1/2	155	152	149	145	138	128	115	97	74	47													Stainless Steel	RA	13	1357,5	63,50			
	6840-PT	12,5	9,3	2"1/2	149		140	135	130	124	117	108	98	85	73	58	42	24									Noryl	MF	10	1590	63,80			
	6845-PT	12,5	9,3	3"	152				138	131	123	113	103	90	77	59	40										Noryl	MF	10	1458	60,50			
	6846-GT	12,5	9,3	3"	141				124	119	113	108	102	95	88	81	73	65	57	39	20					Cast Iron	MF	8	1730	104,00				
	6850-ST	12,5	9,3	3"	117		114	112	109	105	101	96	90	85	78	71	63	53	44							Stainless Steel	MF	10	1830	67,00				
	6851-GT	12,5	9,3	3"	124				109	104	99	94	89	83	77	71	64	57	50	34	17					Cast Iron	MF	7	1622	98,00				
	6855-ST	12,5	9,3	3"	105		103	101	98	94	90	86	81	76	70	63	56	47	39								Stainless Steel	MF	9	1734	65,30			
	6856-ST	12,5	9,3	3"	112				102	98	93	88	80	72	63	54	42										Stainless Steel	RA	9	1337,5	62,50			
	6857-ST	12,5	9,3	3"	113				96	92	88	84	80	75	70	65	58	50									Stainless Steel	MF	7	1561,5	68,10			
	6860-PT	12,5	9,3	3"	94		91	89	88	86	85	82	80	76	72	66	60	53	45	28							Noryl	MF	6	1380	61,50			
	6866-ST	12,5	9,3	3"	100				91	88	83	79	72	64	56	48	38										Stainless Steel	RA	8	1291	61,50			
	6870-PT	12,5	9,3	3"	97				89	85	82	78	74	68	62	54	46	24									Noryl	MF	6	1248	57,10			

6" Vera™ - SUBMERSIBLE MULTISTAGE BOREHOLE ELECTRIC PUMPS FOR DEEP WELLS for min. 6-inch COMPLETE WITH 2 POLE MOTORS TO NEMA STANDARD.

TYPES		HP	KW	DNm Ø	Q = Performance at 2900 rpm																				Impeller material	Impeller RA=radial MF=mixed flow	no of impellers	Electropump Height in mms	Electropump Weight in kg					
1~ 230V 50Hz	3~ 400V 50Hz				m ³ /h	0	3	6	9	12	15	18	21	24	27	30	33	36	39	42	48	54	60	66						72	78	84	90	96
					l/m	0	50	100	150	200	250	300	350	400	450	500	550	600	650	700	800	900	1000	1100						1200	1300	1400	1500	1600
6875-ST		12,5	9,3	3"	87				84	82	80	76	73	70	68	66	63	61	58	51	43	35						Stainless Steel	MF	6	1548	63,30		
6876-ST		12,5	9,3	3"	96								84	81	78	74	71	67	64	57	51	43						Stainless Steel	MF	7	1761	71,50		
6877-GT		12,5	9,3	3"	114								82	78	74	70	66	62	59	51	44	35	25				Cast Iron	MF	6	1514	92,00			
6880-PT		12,5	9,3	3"	82		80	79	77	76	75	72	70	68	66	63	60	57	55	46	38	30	21				Noryl	MF	6	1380	61,50			
6886-ST		12,5	9,3	3"	84								73	71	68	65	62	59	56	50	45	38					Stainless Steel	MF	6	1647	69,00			
6890-ST		12,5	9,3	3"or 4"	73					70	69	67	65	63	60	58	55	53	48	44	40	35	29	21			Stainless Steel	MF	5	1435	61,00			
6896-GT		12,5	9,3	3"	91								70	68	66	63	61	55	49	43	37	30	23			Cast Iron	MF	5	1406	86,00				
6897-ST		12,5	9,3	3"	71									58	55	52	49	45	43	41	37	33	26			Stainless Steel	MF	5	1533,5	66,30				
6898-GT		12,5	9,3	3"	70										57	56	55	51	49	45	41	37	31	25	18	11	Cast Iron	MF	4	1298	80,00			
68100-PT		12,5	9,3	3"	68									56	53	50	48	45	38	31	22	12					Noryl	MF	5	1188	56,10			
6900-PT		15	11	2"1/2	393	382	353	302	230																			Noryl	MF	25	2075	73,10		
6905-PT		15	11	3"	397	378	347	299	229	131																		Noryl	RA	24	1900	68,90		
6910-PT		15	11	2"1/2	290	286	276	263	238	197	145																	Noryl	MF	19	1845	69,80		
6916-ST		15	11	2"1/2	296	282	268	249	220	166	99																	Stainless Steel	RA	26	1741	75,00		
6917-ST		15	11	2"1/2	285	272	258	239	211	160	96																	Stainless Steel	RA	25	1711	74,50		
6920-PT		15	11	3"	286			263	234	195	136																	Noryl	RA	18	1672	66,10		
6921-ST		15	11	2"1/2	274	261	248	230	203	154	92																	Stainless Steel	RA	24	1681	73,80		
6922-ST		15	11	2"1/2	262	250	238	220	195	147	88																	Stainless Steel	RA	23	1651	73,00		
6925-PT		15	11	2"1/2	255		243	230	215	188	154	114	70	32														Noryl	MF	21	2170	76,00		
6931-ST		15	11	2"1/2	214	210	206	200	190	177	158	133	102	64														Stainless Steel	RA	18	1645	70,50		
6932-ST		15	11	2"1/2	202	198	195	189	179	167	150	126	96	61														Stainless Steel	RA	17	1607,5	69,80		
6933-ST		15	11	2"1/2	191	187	183	178	169	157	141	118	91	57														Stainless Steel	RA	16	1570	69,00		
6935-PT		15	11	2"1/2	178		168	162	156	147	138	128	117	102	87	68	48	27										Noryl	MF	12	1805	68,40		
6940-PT		15	11	3"	182				166	157	147	135	123	108	92	70	48											Noryl	MF	12	1672	65,30		
6945-ST		15	11	3"	150		146	143	140	135	130	123	116	108	100	90	80	69	58								Stainless Steel	MF	13	2218	75,00			
6950-LT		15	11	2"1/2	167			142	137	132	127	122	115	104	88	70	49											Brass	RA	15	1887	69,00		
6956-GT		15	11	3"	159				139	133	127	121	114	106	99	91	82	73	64	44	22							Cast Iron	MF	9	1938	113,00		
6960-ST		15	11	3"	129		125	123	120	115	111	105	100	93	86	79	70	60	49									Stainless Steel	MF	11	2026	71,60		
6961-ST		15	11	3"	136					125	120	114	108	98	87	76	65	51										Stainless Steel	RA	11	1530,5	67,50		
6965-PT		15	11	3"	126		122	121	119	117	114	110	106	100	95	87	80	70	61	38								Noryl	MF	8	1600	66,00		
6970-GT		15	11	2"1/2	133			122	119	115	111	107	103	98	92	84	74	64	54									Cast Iron	MF	8	1730	96,50		
6971-ST		15	11	3"	144				121	116	111	106	100	95	88	81	72	61										Stainless Steel	MF	9	1832,5	75,30		
6980-PT		15	11	3"	129					117	113	109	103	97	89	82	71	61	31									Noryl	MF	8	1468	61,90		
6981-ST		15	11	3"	124					113	109	104	98	89	79	70	60	47										Stainless Steel	RA	10	1484	66,50		
6982-ST		15	11	3"	129					109	104	100	95	90	86	80	74	66	56									Stainless Steel	MF	8	1747	73,40		
6986-GT		15	11	3"	151								108	103	98	92	87	82	78	69	59	46	33				Cast Iron	MF	8	1830	107,00			
6990-ST		15	11	3"or 4"	100				97	95	91	88	85	82	79	76	73	70	67	60	49	39						Stainless Steel	MF	7	1761	68,60		
6991-ST		15	11	3"	109								95	92	88	84	80	76	72	65	58	48						Stainless Steel	MF	8	1975	77,20		
6992-GT		15	11	3"	133								95	90	86	81	77	73	69	61	51	41	29				Cast Iron	MF	7	1722	101,00			
6995-PT		15	11	3"	96		93	91	89	88	86	83	81	78	76	72	69	65	62	54	44	35	24					Noryl	MF	7	1540	65,20		
69101-GT		15	11	3"	109																							Cast Iron	MF	6	1614	95,00		
69105-ST		15	11	3"or 4"	86																							Stainless Steel	MF	6	1648	66,30		
69106-GT		15	11	3"	87																							Cast Iron	MF	5	1506	89,00		
69111-ST		15	11	3"	84																							Stainless Steel	MF	6	1747	72,00		
69115-PT		15	11	3"	81																								Noryl	MF	6	1348	60,00	

TYPES		HP	KW	DNm Ø	Q = Performance at 2900 rpm																				Impeller material	Impeller RA=radial MF=mixed flow	no of impellers	Electropump Height in mms	Electropump Weight in kg					
1~ 230V 50Hz	3~ 400V 50Hz				m³/h	0	3	6	9	12	15	18	21	24	27	30	33	36	39	42	48	54	60	66						72	78	84	90	96
					l/m	0	50	100	150	200	250	300	350	400	450	500	550	600	650	700	800	900	1000	1100						1200	1300	1400	1500	1600
	6A00-PT	17,5	13	2"1/2	464	444	409	349	265																			Noryl	MF	29	2275	77,30		
	6A05-PT	17,5	13	3"	462	440	405	349	268	154																		Noryl	RA	28	2104	74,80		
	6A06-ST	17,5	13	2"1/2	353	336	319	296	261	198	118																	Stainless Steel	RA	31	1891	80,80		
	6A07-ST	17,5	13	2"1/2	342	325	309	286	253	191	115																	Stainless Steel	RA	30	1861	80,00		
	6A10-PT	17,5	13	2"1/2	320	318	308	290	262	216	157																	Noryl	MF	21	1920	72,90		
	6A11-ST	17,5	13	2"1/2	330	315	299	277	245	185	111																	Stainless Steel	RA	29	1831	79,30		
	6A15-PT	17,5	13	3"	333			306	273	227	159																	Noryl	RA	21	1786	72,10		
	6A16-ST	17,5	13	2"1/2	319	304	289	268	236	179	107																	Stainless Steel	RA	28	1801	78,50		
	6A17-ST	17,5	13	2"1/2	308	293	278	258	228	172	103																	Stainless Steel	RA	27	1771	77,80		
	6A20-PT	17,5	13	2"1/2	292		275	257	238	207	169	123	72	36														Noryl	MF	24	2320	79,70		
	6A25-ST	17,5	13	2"1/2	268	265	262	251	234	212	182	143	118															Stainless Steel	RA	24	2434	88,30		
	6A26-ST	17,5	13	2"1/2	249	245	240	232	221	206	184	155	118	75														Stainless Steel	RA	21	1757,5	75,00		
	6A30-ST	17,5	13	2"1/2	245	243	241	232	216	195	167	133	108															Stainless Steel	RA	22	2313	85,40		
	6A31-ST	17,5	13	2"1/2	238	233	229	221	211	196	176	147	113	71														Stainless Steel	RA	20	1720	74,30		
	6A32-ST	17,5	13	2"1/2	226	222	217	211	200	186	167	140	107	68														Stainless Steel	RA	19	1682,5	73,50		
	6A35-PT	17,5	13	2"1/2	208		197	189	182	172	162	149	136	119	101	80	59	31										Noryl	MF	14	1920	72,00		
	6A40-PT	17,5	13	3"	212				193	182	172	158	143	125	106	81	56											Noryl	MF	14	1786	69,10		
	6A41-GT	17,5	13	3"	194				170	163	155	148	139	130	121	111	100	89	77	53	26							Cast Iron	MF	11	2154	127,00		
	6A45-LT	17,5	13	2"1/2	197			168	162	156	149	143	136	125	108	87	62											Brass	RA	18	2034	74,00		
	6A50-ST	17,5	13	3"	164		160	158	154	150	143	136	128	118	108	98	87	74	63									Stainless Steel	MF	14	2314	78,70		
	6A51-ST	17,5	13	3"	161				147	141	134	127	115	103	90	77	60											Stainless Steel	RA	13	1623,5	71,50		
	6A55-GT	17,5	13	2"1/2	151			139	134	130	126	122	117	111	105	96	85	74	63									Cast Iron	MF	9	1813	102,50		
	6A56-ST	17,5	13	3"	162				137	131	125	120	114	108	101	93	83	72										Stainless Steel	MF	10	1918	79,40		
	6A57-ST	17,5	13	3"	149				136	131	124	117	107	95	83	71	55											Stainless Steel	RA	12	1577	70,50		
	6A60-PT	17,5	13	3"	140		135	134	132	129	126	122	118	112	106	97	89	78	68	42								Noryl	MF	9	1660	68,80		
	6A70-PT	17,5	13	3"	144				132	127	122	116	109	100	92	80	68	34										Noryl	MF	9	1528	65,00		
	6A71-GT	17,5	13	3"	171							121	116	110	104	98	93	88	77	66	53	37						Cast Iron	MF	9	1938	115,00		
	6A72-ST	17,5	13	3"	137							120	116	111	106	101	96	91	82	73	62							Stainless Steel	MF	10	2203	84,40		
	6A75-ST	17,5	13	3"	113				110	108	104	101	97	93	90	87	83	80	76	68	58	45						Stainless Steel	MF	8	1874	72,90		
	6A76-ST	17,5	13	3"	125							109	106	101	97	92	88	83	75	67	57							Stainless Steel	MF	9	2089	81,80		
	6A80-PT	17,5	13	3"	108		106	104	102	100	98	95	91	88	85	81	77	73	70	61	50	40	27					Noryl	MF	8	1600	68,00		
	6A90-ST	17,5	13	3"or 4"	101					97	95	92	89	87	83	80	76	73	67	62	57	49	42	31				Stainless Steel	MF	7	1761	70,60		
	6A91-GT	17,5	13	3"	127										97	94	91	87	84	76	69	61	51	42	31			Cast Iron	MF	7	1722	103,00		
	6A95-PT	17,5	13	3"	107										87	83	80	75	71	61	48	34	18					Noryl	MF	8	1468	63,80		
	6A106-GT	17,5	13	3"	103											84	82	81	77	73	67	61	55	46	36	26	16		Cast Iron	MF	6	1614	97,00	
	6A110-ST	17,5	13	3"	98											81	78	74	71	66	62	58	53	46	38			Stainless Steel	MF	7	1861	76,60		
	6B00-PT	20	15	3"	494	472	434	374	286	165																			Noryl	RA	30	2363	82,40	
	6B06-ST	20	15	2"1/2	410	390	371	343	303	229	137																		Stainless Steel	RA	36	2100,5	88,50	
	6B07-ST	20	15	2"1/2	398	379	360	334	295	223	133																		Stainless Steel	RA	35	2070,5	87,80	
	6B08-ST	20	15	2"1/2	387	369	350	324	287	217	129																		Stainless Steel	RA	34	2040,5	87,00	
	6B10-PT	20	15	2"1/2	367	364	352	332	300	248	183																		Noryl	MF	24	2095	78,60	
	6B11-ST	20	15	2"1/2	376	358	340	315	278	210	126																		Stainless Steel	RA	33	2010,5	86,30	
	6B15-PT	20	15	3"	379			349	312	259	182																		Noryl	RA	24	1960	78,00	
	6B21-ST	20	15	2"1/2	364	347	330	305	270	204	122																		Stainless Steel	RA	32	1980,5	85,50	
	6B25-PT	20	15	2"1/2	339		320	300	278	241	196	144	83	42															Noryl	MF	28	2580	86,60	

6" Vera™ - SUBMERSIBLE MULTISTAGE BOREHOLE ELECTRIC PUMPS FOR DEEP WELLS for min. 6-inch COMPLETE WITH 2 POLE MOTORS TO NEMA STANDARD.

TYPES		HP	KW	DNm Ø	Q = Performance at 2900 rpm																				Impeller material	Impeller RA=radial MF=mixed flow	no of impellers	Electropump Height in mms	Electropump Weight in kg					
1~ 230V 50Hz	3~ 400V 50Hz				m³/h	0	3	6	9	12	15	18	21	24	27	30	33	36	39	42	48	54	60	66						72	78	84	90	96
					l/m	0	50	100	150	200	250	300	350	400	450	500	550	600	650	700	800	900	1000	1100						1200	1300	1400	1500	1600
6B31-ST	20	15	2"1/2		285	279	274	265	252	235	210	177	135	85														Stainless Steel	RA	24	1930	81,50		
6B36-ST	20	15	2"1/2		273	268	263	254	242	225	202	169	129	81														Stainless Steel	RA	23	1892,5	80,80		
6B41-ST	20	15	2"1/2		261	256	251	243	232	215	193	162	124	78														Stainless Steel	RA	22	1855	80,00		
6B45-PT	20	15	2"1/2		237		224	216	207	196	186	170	155	135	115	91	67	37										Noryl	MF	16	2095	77,60		
6B50-PT	20	15	3"		242				220	208	196	180	164	142	121	92	64											Noryl	MF	16	1960	74,90		
6B51-GT	20	15	3"		228				200	191	182	173	163	152	141	130	117	104	91	62	31						Cast Iron	MF	13	2430	143,00			
6B55-ST	20	15	3"		196		192	189	184	177	171	162	151	141	130	119	106	91	74								Stainless Steel	MF	17	2662	87,80			
6B56-ST	20	15	3"		185					169	163	154	146	133	118	103	88	69									Stainless Steel	RA	15	1776,5	77,30			
6B61-ST	20	15	3"		192					162	155	148	141	134	127	118	109	97	83								Stainless Steel	MF	12	2149	87,60			
6B66-ST	20	15	3"		173					158	152	144	137	124	110	97	83	64									Stainless Steel	RA	14	1730	76,50			
6B70-PT	20	15	3"		153		151	149	147	143	139	135	130	124	117	108	99	87	75	48							Noryl	MF	10	1780	73,50			
6B71-ST	20	15	3"		177					149	143	137	131	124	117	110	101	90	77								Stainless Steel	MF	11	2063,5	85,50			
6B85-ST	20	15	3"or 4"		138				136	133	130	125	120	115	110	106	101	97	93	83	70	56					Stainless Steel	MF	10	2160	81,40			
6B91-GT	20	15	3"		190								134	128	121	115	109	103	97	85	72	59	41			Cast Iron	MF	10	2106	125,00				
6B101-ST	20	15	3"		150									131	126	121	116	110	105	99	89	79	66			Stainless Steel	MF	11	2377	91,00				
6B105-ST	20	15	3"		128				124	121	117	112	108	104	100	98	95	90	85	76	64	50				Stainless Steel	MF	9	2047	79,20				
6B110-PT	20	15	3"		121		119	117	115	113	111	108	105	101	98	93	88	84	79	69	58	45	31			Noryl	MF	9	1720	72,80				
6B111-GT	20	15	3"		144										110	107	103	99	95	87	78	69	59	47	35		Cast Iron	MF	8	1890	113,00			
6B115-ST	20	15	3"or 4"		114					109	107	104	100	97	93	90	86	83	76	70	63	56	46	35			Stainless Steel	MF	8	1934	76,90			
6B116-ST	20	15	3"		123										101	97	92	88	82	77	72	66	56	46			Stainless Steel	MF	9	2149	85,80			
6B120-PT	20	15	3"		121										98	93	89	84	80	68	54	38	20			Noryl	MF	9	1588	68,80				
6B126-GT	20	15	3"		120												98	96	94	90	84	78	71	63	55	42	30	18	Cast Iron	MF	7	1782	107,00	
6B130-ST	20	15	3"		111												91	87	83	80	74	69	65	60	51	42		Stainless Steel	MF	8	2035	83,20		
6C00-PT	25	18,5	3"		657	628	578	498	381	218																		Noryl	RA	40	2813	100,00		
6C06-ST	25	18,5	2"1/2		500	476	453	419	370	280	167																	Stainless Steel	RA	44	2410,5	105,50		
6C10-PT	25	18,5	2"1/2		459	452	438	413	375	311	219																	Noryl	MF	30	2445	93,90		
6C11-ST	25	18,5	2"1/2		489	466	442	410	362	273	163																	Stainless Steel	RA	43	2380,5	104,80		
6C12-ST	25	18,5	2"1/2		478	455	432	400	354	267	159																	Stainless Steel	RA	42	2350,5	104,00		
6C13-ST	25	18,5	2"1/2		466	444	422	391	345	261	156																	Stainless Steel	RA	41	2320,5	103,30		
6C15-PT	25	18,5	3"		474				437	389	323	226																Noryl	RA	30	2310	93,90		
6C16-ST	25	18,5	2"1/2		455	433	412	381	337	255	152																	Stainless Steel	RA	40	2290,5	102,50		
6C17-ST	25	18,5	2"1/2		444	423	401	372	328	248	148																	Stainless Steel	RA	39	2260,5	101,80		
6C18-ST	25	18,5	2"1/2		432	412	391	362	320	242	145																	Stainless Steel	RA	38	2230,5	101,00		
6C19-ST	25	18,5	2"1/2		421	401	381	353	312	236	141																	Stainless Steel	RA	37	2200,5	100,30		
6C20-PT	25	18,5	2"1/2		424		398	373	346	300	244	180	103	53														Noryl	MF	35	3050	103,60		
6C21-ST	25	18,5	2"1/2		356	349	342	331	315	293	263	220	168	106														Stainless Steel	RA	30	2224,5	97,50		
6C22-ST	25	18,5	2"1/2		344	337	330	320	305	283	254	213	163	102														Stainless Steel	RA	29	2187	96,80		
6C26-ST	25	18,5	2"1/2		332	326	319	309	294	273	245	206	157	99														Stainless Steel	RA	28	2149,5	96,00		
6C27-ST	25	18,5	2"1/2		320	314	308	298	284	264	237	198	152	95														Stainless Steel	RA	27	2112,5	95,00		
6C31-ST	25	18,5	2"1/2		308	302	296	287	273	254	228	191	146	92														Stainless Steel	RA	26	2075	94,00		
6C32-ST	25	18,5	2"1/2		297	291	285	276	263	244	219	184	141	88														Stainless Steel	RA	25	2037,5	93,30		
6C35-PT	25	18,5	2"1/2		296		280	269	259	244	230	211	192	167	141	111	81	45										Noryl	MF	20	2445	92,10		
6C40-PT	25	18,5	3"		302				275	260	244	224	204	178	151	115	79											Noryl	MF	20	2310	92,50		
6C41-GT	25	18,5	3"		264				227	217	207	196	185	173	161	147	133	119	104	72	37						Cast Iron	MF	15	2716	166,00			
6C46-ST	25	18,5	3"		234					214	205	195	185	168	149	130	111	87										Stainless Steel	RA	19	2032,5	92,00		

6" Vera™ - SUBMERSIBLE MULTISTAGE BOREHOLE ELECTRIC PUMPS FOR DEEP WELLS for min. 6-inch COMPLETE WITH 2 POLE MOTORS TO NEMA STANDARD.

TYPES		HP	KW	DNm Ø	Q = Performance at 2900 rpm																				Impeller material	Impeller RA=radial MF=mixed flow	no of impellers	Electropump Height in mms	Electropump Weight in kg					
1~ 230V 50Hz	3~ 400V 50Hz				m³/h	0	3	6	9	12	15	18	21	24	27	30	33	36	39	42	48	54	60	66						72	78	84	90	96
					l/m	0	50	100	150	200	250	300	350	400	450	500	550	600	650	700	800	900	1000	1100						1200	1300	1400	1500	1600
6D40-ST	30	22	3"	260		255	251	244	235	225	213	200	185	170	152	133	113	91										Stainless Steel	MF	23	3368	114,00		
6D41-ST	30	22	3"	271					247	237	225	213	194	172	150	129	100											Stainless Steel	RA	22	2232	99,30		
6D42-ST	30	22	3"	286					241	231	221	211	200	189	176	162	144	123										Stainless Steel	MF	18	2791,5	116,20		
6D43-ST	30	22	3"	259					236	227	215	204	185	165	144	123	96											Stainless Steel	RA	21	2185,5	98,50		
6D44-ST	30	22	3"	271					229	219	209	200	190	179	168	154	137	117										Stainless Steel	MF	17	2706	114,00		
6D46-ST	30	22	3"	246					225	216	205	194	176	157	137	117	91											Stainless Steel	RA	20	2139	97,80		
6D50-PT	30	22	3"	231		224	222	219	215	210	202	195	185	175	161	147	129	111	70									Noryl	MF	15	2215	93,30		
6D51-ST	30	22	3"	256					216	207	198	189	180	170	159	147	131	112										Stainless Steel	MF	16	2620,5	112,00		
6D52-ST	30	22	3"	241					204	195	187	178	170	160	150	138	124	106										Stainless Steel	MF	15	2535,5	109,90		
6D56-GT	30	22	3"	283									201	191	182	172	162	153	145	126	107	86	61					Cast Iron	MF	15	2776	171,00		
6D61-ST	30	22	3"	230									200	193	185	177	169	160	151	135	120	101						Stainless Steel	MF	17	3190	122,60		
6D65-ST	30	22	3"	195					191	187	181	174	168	162	155	148	143	138	132	119	100	78						Stainless Steel	MF	14	2742	106,60		
6D66-ST	30	22	3"	217									189	183	175	168	160	152	144	129	114	96						Stainless Steel	MF	16	3076	120,00		
6D70-PT	30	22	3"	186		183	179	176	172	169	164	159	154	148	142	135	128	121	106	88	70	49						Noryl	MF	14	2155	92,60		
6D76-ST	30	22	3"	205									179	173	166	158	151	143	136	122	108	91						Stainless Steel	MF	15	2962,5	117,30		
6D80-ST	30	22	3"	182					178	174	169	163	157	149	143	137	132	127	122	110	93	73						Stainless Steel	MF	13	2629	104,30		
6D81-GT	30	22	3"	216											165	159	154	147	141	129	116	102	87	71	53			Cast Iron	MF	12	2452	153,00		
6D82-ST	30	22	3"	177											145	140	133	127	118	111	104	94	81	66				Stainless Steel	MF	13	2734,5	112,20		
6D86-GT	30	22	3"	171											138	136	133	127	119	110	100	89	77	60	42	25		Cast Iron	MF	10	2236	141,00		
6D87-ST	30	22	3"	165											135	130	124	118	110	103	97	88	76	62				Stainless Steel	MF	12	2620,5	109,60		
6D90-PT	30	22	3"	161										130	124	118	112	105	89	71	50	26						Noryl	MF	12	1898	87,80		
6E0A-ST	35	26	2"1/2	693	660	627	580	513	387	231																			Stainless Steel	RA	61	3120	146,00	
6E0B-ST	35	26	2"1/2	682	649	616	571	504	381	227																			Stainless Steel	RA	60	3090	145,00	
6E0C-ST	35	26	2"1/2	670	638	606	561	496	374	223																			Stainless Steel	RA	59	3060	144,00	
6E0D-ST	35	26	2"1/2	659	627	596	552	488	368	219																			Stainless Steel	RA	58	3030	143,00	
6E0E-ST	35	26	2"1/2	647	617	586	542	479	362	216																			Stainless Steel	RA	57	3000,5	142,00	
6E0F-ST	35	26	2"1/2	636	606	575	533	471	356	212																			Stainless Steel	RA	56	2970,5	141,30	
6E0G-ST	35	26	2"1/2	625	595	565	523	462	349	208																			Stainless Steel	RA	55	2940,5	140,50	
6E0H-ST	35	26	2"1/2	614	584	555	514	454	343	205																			Stainless Steel	RA	54	2910,5	139,80	
6E00-PT	35	26	3"	630			582	518	430	301																			Noryl	RA	40	3013	137,10	
6E01-ST	35	26	2"1/2	602	573	545	504	446	337	201																			Stainless Steel	RA	53	2880,5	139,00	
6E01A-ST	35	26	2"1/2	497	487	478	463	440	409	367	307	235	147																Stainless Steel	RA	42	2874,5	133,00	
6E02-ST	35	26	2"1/2	485	476	466	452	430	400	358	300	229	144																Stainless Steel	RA	41	2837	132,00	
6E02A-ST	35	26	2"1/2	473	464	455	441	419	390	349	293	224	140																Stainless Steel	RA	40	2799,5	131,00	
6E03-ST	35	26	2"1/2	462	453	444	430	409	380	341	286	218	137																Stainless Steel	RA	39	2762	130,00	
6E03A-ST	35	26	2"1/2	450	441	432	419	399	370	332	278	213	133																Stainless Steel	RA	38	2724,5	129,00	
6E04-ST	35	26	2"1/2	438	430	421	408	388	361	323	271	207	130																Stainless Steel	RA	37	2687	128,00	
6E05-PT	35	26	2"1/2	409		386	373	361	341	321	296	272	241	211	172	133	98												Noryl	MF	28	3100	124,30	
6E10-PT	35	26	3"	422				383	364	341	313	285	248	211	160	109													Noryl	MF	28	3089	136,90	
6E15-ST	35	26	3"	354		345	340	333	323	311	296	280	261	238	214	186	158	127											Stainless Steel	MF	31	4276	147,50	
6E20-ST	35	26	3"	343		335	330	323	313	302	286	271	252	231	206	180	150	123											Stainless Steel	MF	30	4180	145,80	
6E25-ST	35	26	3"	329		324	319	312	303	292	278	262	244	224	200	174	146	116											Stainless Steel	MF	29	4084	144,10	
6E26-GT	35	26	3"	368				321	308	293	278	261	244	226	206	186	165	143	95	44									Cast Iron	MF	21	3564	227,00	
6E30-ST	35	26	3"	320		313	308	302	292	282	268	252	234	214	193	167	140	113											Stainless Steel	MF	28	3988	142,10	
6E31-ST	35	26	3"	332				303	291	276	261	238	211	184	157	122													Stainless Steel	RA	27	2604	125,00	

6" Vera™ - SUBMERSIBLE MULTISTAGE BOREHOLE ELECTRIC PUMPS FOR DEEP WELLS for min. 6-inch COMPLETE WITH 2 POLE MOTORS TO NEMA STANDARD.

TYPES		HP	KW	DNm Ø	Q = Performance at 2900 rpm																				Impeller material	Impeller RA=radial MF=mixed flow	no of impellers	Electropump Height in mms	Electropump Weight in kg					
1~ 230V 50Hz	3~ 400V 50Hz				m³/h	0	3	6	9	12	15	18	21	24	27	30	33	36	39	42	48	54	60	66						72	78	84	90	96
					l/m	0	50	100	150	200	250	300	350	400	450	500	550	600	650	700	800	900	1000	1100						1200	1300	1400	1500	1600
6E35-ST	35	26	3"	308		302	297	291	282	271	258	242	224	205	184	161	134	109										Stainless Steel	MF	27	3892	140,40		
6E36-ST	35	26	3"	320					291	280	266	252	229	203	177	152	118											Stainless Steel	RA	26	2557,5	123,00		
6E37-ST	35	26	3"	338					285	273	261	250	237	224	210	194	173	148										Stainless Steel	MF	21	3187,5	142,40		
6E41-ST	35	26	3"	308					280	270	256	242	220	196	171	146	113											Stainless Steel	RA	25	2511	122,00		
6E42-ST	35	26	3"	322					272	261	249	238	227	215	201	186	166	142										Stainless Steel	MF	20	3102,5	140,30		
6E45-PT	35	25	3"	275		270	266	262	256	249	241	233	221	209	193	177	155	132	83								Noryl	MF	18	2585	116,40			
6E46-ST	35	26	3"	295					269	259	246	233	211	188	164	140	109											Stainless Steel	RA	24	2465	121,00		
6E47-ST	35	26	3"	307					259	248	238	227	216	205	192	177	159	136										Stainless Steel	MF	19	3017	138,20		
6E48-GT	35	26	3"	339								240	229	217	206	194	183	173	151	128	103	73					Cast Iron	MF	18	3240	209,00			
6E50-ST	35	26	3"or 4"	237				231	226	219	212	204	197	190	183	176	169	162	146	124	99							Stainless Steel	MF	17	3221	133,40		
6E51-ST	35	26	3"	261								229	221	212	203	193	184	174	156	139	118							Stainless Steel	MF	19	3557,5	147,80		
6E55-ST	35	26	3"	224				218	213	206	199	191	184	177	168	164	158	150	136	115	90							Stainless Steel	MF	16	3108	131,10		
6E61-ST	35	26	3"	248								218	210	202	193	184	175	166	149	133	112							Stainless Steel	MF	18	3444	145,20		
6E65-PT	35	26	3"	212		208	204	200	197	193	187	181	175	170	162	154	146	138	120	101	80	57					Noryl	MF	16	2415	114,00			
6E70-ST	35	26	3"or 4"	212					207	201	197	191	184	177	170	163	156	141	130	119	106	89	70					Stainless Steel	MF	15	2995	128,80		
6E75-ST	35	26	3"or 4"	196					192	188	184	179	172	166	160	152	145	133	123	112	99	83	66					Stainless Steel	MF	14	2882	126,50		
6E76-GT	35	26	3"	251									192	185	179	172	165	150	135	119	101	82	61				Cast Iron	MF	14	2808	185,00			
6E80-ST	35	26	3"or 4"	180						177	173	169	164	159	152	146	141	135	124	113	103	90	76	60				Stainless Steel	MF	13	2769	124,30		
6E81-ST	35	26	3"	207											171	164	156	149	138	130	122	112	96	80				Stainless Steel	MF	15	3102,5	137,40		
6E86-GT	35	26	3"	205												167	163	160	151	143	132	120	107	91	72	50	29	Cast Iron	MF	12	2592	173,00		
6E90-PT	35	26	3"	201										162	155	147	139	131	111	89	63	32					Noryl	MF	15	2218	110,40			
6E96-ST	35	26	3"	194											160	154	147	140	130	122	115	105	91	75				Stainless Steel	MF	14	2988,5	134,80		
6F01-ST	40	30	2"1/2	579	568	557	540	513	477	428	358	273	171																Stainless Steel	RA	49	3136,5	140,00	
6F01A-ST	40	30	2"1/2	568	557	546	529	503	467	419	351	268	168																Stainless Steel	RA	48	3099	139,00	
6F02-ST	40	30	2"1/2	556	545	534	518	493	458	410	344	262	164																Stainless Steel	RA	47	3061,5	138,00	
6F02A-ST	40	30	2"1/2	544	534	523	507	482	448	402	337	257	161																Stainless Steel	RA	46	3024	137,00	
6F03-ST	40	30	2"1/2	532	522	512	496	472	438	393	329	251	157																Stainless Steel	RA	15	2987	136,00	
6F03A-ST	40	30	2"1/2	520	510	500	485	461	429	384	322	246	154																Stainless Steel	RA	44	2949,5	135,00	
6F04-ST	40	30	2"1/2	509	499	489	474	451	419	375	315	240	151																Stainless Steel	RA	43	2912	134,00	
6F05-PT	40	30	2"1/2	471		446	428	409	389	370	343	317	284	251	206	160	121											Noryl	MF	32	3325	128,00		
6F15-PT	40	30	3"	482				437	414	390	358	325	283	240	183	125												Noryl	MF	32	3317	141,20		
6F21-GT	40	30	3"	420				368	352	336	319	300	280	260	238	215	191	166	113	55								Cast Iron	MF	24	3888	245,00		
6F26-ST	40	30	3"	381					347	334	317	300	272	242	211	180	140												Stainless Steel	RA	31	2790	129,00	
6F27-ST	40	30	3"	369					336	323	307	290	264	234	204	175	136												Stainless Steel	RA	30	2743,5	128,00	
6F28-ST	40	30	3"	356					325	312	297	281	255	227	198	169	131												Stainless Steel	RA	29	2697	127,00	
6F29-ST	40	30	3"	383					323	309	295	282	268	253	237	218	194	165											Stainless Steel	MF	24	3444	148,70	
6F31-ST	40	30	3"	344					314	302	286	271	246	219	191	163	127												Stainless Steel	RA	28	2650,5	126,00	
6F32-ST	40	30	3"	368					310	297	284	271	258	244	228	210	187	160											Stainless Steel	MF	23	3358,5	146,60	
6F35-PT	40	30	3"	306		299	294	290	283	277	268	259	245	232	213	194	170	145	90									Noryl	MF	20	2705	117,90		
6F36-ST	40	30	3"	353					298	285	272	260	247	234	219	202	180	154											Stainless Steel	MF	22	3273	144,50	
6F40-PT	40	30	3"	319						291	280	269	255	240	221	202	175	148	75									Noryl	MF	20	2570	118,40		
6F41-GT	40	30	3"	396							280	267	253	240	226	214	201	177	149	120	85							Cast Iron	MF	21	3564	227,00		
6F46-ST	40	30	3"	312							271	262	251	240	229	217	206	184	164	137									Stainless Steel	MF	23	4013	158,20	
6F47-ST	40	30	3"	299							261	252	241	231	220	209	198	177	158	133									Stainless Steel	MF	22	3899	155,60	
6F50-ST	40	30	3"or 4"	265				259	252	245	237	228	220	212	205	197	189	182	164	139	110								Stainless Steel	MF	19	3447	137,90	

6" Vera™ - SUBMERSIBLE MULTISTAGE BOREHOLE ELECTRIC PUMPS FOR DEEP WELLS for min. 6-inch COMPLETE WITH 2 POLE MOTORS TO NEMA STANDARD.

TYPES		HP	KW	DNm Ø	Q = Performance at 2900 rpm																				Impeller material	Impeller RA=radial MF=mixed flow	no of impellers	Electropump Height in mms	Electropump Weight in kg					
1~ 230V 50Hz	3~ 400V 50Hz				m³/h	0	3	6	9	12	15	18	21	24	27	30	33	36	39	42	48	54	60	66						72	78	84	90	96
					l/m	0	50	100	150	200	250	300	350	400	450	500	550	600	650	700	800	900	1000	1100						1200	1300	1400	1500	1600
6F56-ST	40	30	3"		287							250	242	232	222	211	190	170	152	128								Stainless Steel	MF	21	3785	153,00		
6F70-PT	40	30	3"		251		245	241	237	233	228	221	215	208	201	192	182	173	164	142	118	93	64					Noryl	MF	19	2585	117,20		
6F75-ST	40	30	3"		251				245	241	233	225	217	209	202	194	186	179	172	155	132	105						Stainless Steel	MF	18	3334	135,70		
6F76-ST	40	30	3"		274								240	232	222	212	202	192	182	163	145	123					Stainless Steel	MF	20	3671,5	150,40			
6F80-ST	40	30	3"or 4"		225						220	215	210	204	197	189	182	174	166	151	138	126	111	95	75			Stainless Steel	MF	16	3108	131,10		
6F86-GT	40	30	3"		287											219	212	204	196	188	172	155	136	115	93	69		Cast Iron	MF	16	3024	197,00		
6F90-PT	40	30	3"		240										194	185	177	167	157	133	106	75	38				Noryl	MF	18	2450	116,20			
6F96-GT	40	30	3"		238											194	190	186	177	167	154	139	124	106	83	59	34	Cast Iron	MF	14	2808	185,00		
6F101-ST	40	30	3"		233												191	184	175	167	155	146	137	125	107	88		Stainless Steel	MF	17	3330	142,70		
6F102-ST	40	30	3"		220													181	174	166	158	147	138	130	118	101	84		Stainless Steel	MF	16	3216	140,00	
6G0A-ST	50	37	2"1/2		709	695	682	661	628	584	523	438	334	209															Stainless Steel	RA	60	3689	162,00	
6G0B-ST	50	37	2"1/2		697	684	670	650	618	574	514	431	329	206															Stainless Steel	RA	59	3651,5	161,00	
6G0C-ST	50	37	2"1/2		685	672	659	639	607	564	506	424	323	202															Stainless Steel	RA	58	3614	160,00	
6G0D-ST	50	37	2"1/2		674	661	648	628	597	555	497	417	318	199															Stainless Steel	RA	57	3576,5	159,00	
6G0E-ST	50	37	2"1/2		662	649	636	617	586	545	488	409	312	195															Stainless Steel	RA	56	3539	158,00	
6G0F-ST	50	37	2"1/2		650	638	625	606	576	535	480	402	307	192															Stainless Steel	RA	55	3501,5	157,00	
6G0G-ST	50	37	2"1/2		638	626	614	595	566	526	471	395	301	189															Stainless Steel	RA	54	3464	156,00	
6G0H-ST	50	37	2"1/2		626	614	602	584	555	516	462	387	296	185															Stainless Steel	RA	53	3426,5	155,00	
6G0J-ST	50	37	2"1/2		615	603	591	573	545	506	454	380	290	182															Stainless Steel	RA	52	3389	154,00	
6G0K-ST	50	37	2"1/2		603	591	580	562	534	496	445	373	285	178															Stainless Steel	RA	51	3351,5	153,00	
6G0L-ST	50	37	2"1/2		591	580	568	551	524	487	436	366	279	175															Stainless Steel	RA	50	3314	152,00	
6G00-PT	50	37	3"		587				533	504	475	435	396	344	293	222	151											Noryl	MF	39	3960	162,00		
6G01-GT	50	37	3"		525				457	438	417	396	372	348	322	295	266	236	205	138	66							Cast Iron	MF	30	4676	292,00		
6G02-ST	50	37	3"		466					425	409	388	367	334	296	258	221	171										Stainless Steel	RA	38	3255,5	147,00		
6G03-ST	50	37	3"		454					414	398	378	358	325	289	251	215	167										Stainless Steel	RA	37	3209	146,00		
6G04-GT	50	37	3"		473				413	396	378	358	337	315	292	267	241	214	185	125	60							Cast Iron	MF	27	4352	274,00		
6G06-ST	50	37	3"		442					403	387	368	348	316	281	245	209	162											Stainless Steel	RA	36	3162,5	145,00	
6G07-ST	50	37	3"		476					401	384	366	350	332	314	293	269	239	203										Stainless Steel	MF	30	4096	172,30	
6G08-ST	50	37	3"		430					391	376	358	338	307	273	238	203	158											Stainless Steel	RA	35	3116	144,00	
6G09-ST	50	37	3"		461					388	372	355	339	322	304	284	261	232	198										Stainless Steel	MF	29	4010,5	170,20	
6G11-ST	50	37	3"		418					380	366	347	329	299	265	231	198	154											Stainless Steel	RA	34	3069,5	143,00	
6G12-ST	50	37	3"		446					376	360	344	329	312	295	275	253	226	192										Stainless Steel	MF	28	3925	168,20	
6G13-ST	50	37	3"		405					369	355	337	319	290	258	225	192	149											Stainless Steel	RA	33	3023	142,00	
6G14-ST	50	37	3"		431					363	348	333	318	302	285	267	246	219	187										Stainless Steel	MF	27	3840	166,00	
6G16-ST	50	37	3"		393					358	344	327	310	281	250	218	186	145											Stainless Steel	RA	32	2976,5	141,00	
6G20-PT	50	37	3"		364		356	353	350	340	329	319	308	293	278	254	230	198	167	107									Noryl	MF	24	3085	132,50	
6G21-ST	50	37	3"		416					351	336	321	307	292	276	258	238	212	181										Stainless Steel	MF	26	3754,5	163,90	
6G25-PT	50	37	3"		381						348	335	322	305	288	265	242	210	178	89									Noryl	MF	24	2950	138,40	
6G31-ST	50	37	3"		401					338	324	310			296	281	266	249	230	205	175								Stainless Steel	MF	25	3669	161,80	
6G32-ST	50	37	3"		378								328	317	304	290	277	263	248	222	198	165							Stainless Steel	MF	28	4722	183,00	
6G36-GT	50	37	3"		451								320	304	289	273	258	243	229	201	171	136	96					Cast Iron	MF	24	4028	256,00		
6G41-ST	50	37	3"		365								318	307	294	281	268	255	241	215	192	161						Stainless Steel	MF	27	4608	180,20		
6G42-ST	50	37	3"		353								308	297	284	272	259	246	233	209	186	156							Stainless Steel	MF	26	4494	177,00	
6G45-PT	50	37	3"		302		300	295	289	284	279	269	260	250	240	229	218	206	195	169	139	106	73						Noryl	MF	23	3025	131,80	
6G50-ST	50	37	3"or 4"		307				299	293	285	275	265	256	245	236	226	217	207	187	159	126							Stainless Steel	MF	22	3926	155,80	

6" Vera™ - SUBMERSIBLE MULTISTAGE BOREHOLE ELECTRIC PUMPS FOR DEEP WELLS for min. 6-inch COMPLETE WITH 2 POLE MOTORS TO NEMA STANDARD.

TYPES		HP	KW	DNm Ø	Q = Performance at 2900 rpm																				Impeller material	Impeller RA=radial MF=mixed flow	no of impellers	Electropump Height in mms	Electropump Weight in kg					
1~ 230V 50Hz	3~ 400V 50Hz				m³/h	0	3	6	9	12	15	18	21	24	27	30	33	36	39	42	48	54	60	66						72	78	84	90	96
					l/m	0	50	100	150	200	250	300	350	400	450	500	550	600	650	700	800	900	1000	1100						1200	1300	1400	1500	1600
6G56-ST	50	37	3"	340							297	287	275	263	251	238	225	202	180	151								Stainless Steel	MF	25	4380,5	175,40		
6G60-ST	50	37	4"	292						287	283	276	269	260	249	239	228	218	200	183	167	148	127	100				Stainless Steel	MF	21	3700	151,30		
6G61-ST	50	37	3"	328							286	277	265	253	242	230	217	195	173	146								Stainless Steel	MF	24	4266,5	174,80		
6G66-GT	50	37	3"	359								274	264	255	245	235	214	193	170	143	116	86					Cast Iron	MF	20	3596	232,00			
6G70-ST	50	37	3"or 4"	278						272	268	261	252	243	234	224	215	205	188	172	157	139	118	93				Stainless Steel	MF	20	3700	151,20		
6G76-GT	50	37	3"	306											248	243	238	227	213	197	179	159	136	106	75	43		Cast Iron	MF	18	3380	220,00		
6G77-GT	50	37	3"	323										246	238	229	221	212	193	174	152	129	105	78				Cast Iron	MF	18	3380	220,00		
6G80-PT	50	37	3"	288										236	226	215	203	191	162	128	91	46						Noryl	MF	22	2830	135,80		
6G85-ST	50	37	3"or 4"	240						234	230	224	218	211	203	196	187	179	162	148	135	119	100	81				Stainless Steel	MF	17	3361	144,40		
6G86-ST	50	37	3"	286											234	225	214	205	190	178	167	152	130	106				Stainless Steel	MF	21	3925	165,10		
6G87-ST	50	37	3"	273											224	216	205	196	182	171	160	146	125	103				Stainless Steel	MF	20	3811,5	164,40		
6G91-GT	50	37	3"	273												221	217	212	202	190	176	160	141	121	95	67	38		Cast Iron	MF	16	3164	208,00	
6G95-ST	50	37	3"	261												214	206	196	187	174	163	153	140	120	99				Stainless Steel	MF	19	3697,5	159,00	
6G96-ST	50	37	3"	248												204	196	187	178	165	155	146	133	114	95				Stainless Steel	MF	18	3584	156,30	
6H00-P8T	60	45	3"	662					601	568	535	491	446	388	330	250	171												Noryl	MF	44	4235	225,70	
6H01-S8T	60	45	3"	564					514	494	469	444	403	358	312	267	207												Stainless Steel	RA	46	3617	213,00	
6H01A-S8T	60	45	3"	552					503	483	459	434	395	351	305	261	203												Stainless Steel	RA	45	3570,5	212,00	
6H01B-S8T	60	45	3"	586					494	473	452	431	409	386	360	331	294	250											Stainless Steel	MF	37	4683,5	246,15	
6H01C-S8T	60	45	3"	540					492	473	449	425	386	343	299	255	198												Stainless Steel	RA	44	3524	211,00	
6H02-S8T	60	45	3"	572					482	461	440	420	399	377	352	323	287	244											Stainless Steel	MF	36	4598	244,00	
6H02A-S8T	60	45	3"	528					480	462	439	415	377	335	292	250	194												Stainless Steel	RA	43	3477,5	210,00	
6H02B-S8T	60	45	3"	557					469	449	429	410	389	368	343	315	281	239											Stainless Steel	MF	35	4512,5	240,80	
6H02C-S8T	60	45	3"	515					469	451	429	406	368	327	285	244	189												Stainless Steel	RA	42	3431	209,00	
6H03-S8T	60	45	3"	503					458	441	419	396	360	320	278	238	185												Stainless Steel	RA	41	3384,5	208,00	
6H03A-S8T	60	45	3"	542					457	437	418	399	379	358	335	308	274	234											Stainless Steel	MF	34	4427,5	238,70	
6H03B-S8T	60	45	3"	491					447	430	408	386	351	312	272	232	180												Stainless Steel	RA	40	3338	207,00	
6H03C-S8T	60	45	3"	527					444	425	407	388	369	349	326	300	267	228											Stainless Steel	MF	33	4342	236,60	
6H04-S8T	60	45	3"	479					436	419	398	377	342	304	265	227	176												Stainless Steel	RA	39	3291,5	206,00	
6H04A-S8T	60	45	3"	512					432	413	395	378	359	339	317	292	260	223											Stainless Steel	MF	32	4256,5	234,50	
6H04B-S8T	60	45	3"	497					419	401	384	367	348	329	308	284	253	217											Stainless Steel	MF	31	4171	231,40	
6H05-P8T	60	45	3"	444						406	391	376	356	335	309	282	244	207	104										Noryl	MF	28	3303	207,30	
6H06-G8T	60	45	3"	565								399	380	361	341	322	304	287	251	212	171	120							Cast Iron	MF	30	4666	350,00	
6H07-S8T	60	45	3"	446								388	375	359	343	327	311	294	263	234	196								Stainless Steel	MF	33	5281	244,00	
6H08-S8T	60	45	3"	434								378	365	350	334	319	303	286	256	228	191								Stainless Steel	MF	32	5167	251,20	
6H09-S8T	60	45	3"	421								367	355	340	325	310	294	279	249	222	186								Stainless Steel	MF	31	5053,5	248,70	
6H11-G8T	60	45	3"	508								360	342	325	308	290	274	259	226	192	154	108							Cast Iron	MF	27	4342	332,00	
6H12-S8T	60	45	3"	409								357	345	330	316	301	286	271	242	216	182								Stainless Steel	MF	30	4939,5	246,00	
6H13-S8T	60	45	3"	396								346	334	320	306	292	278	263	235	210	177								Stainless Steel	MF	29	4825,5	243,50	
6H14-G8T	60	45	3"	429											327	316	305	293	282	257	230	203	172	138	102				Cast Iron	MF	24	4018	314,00	
6H15-S8T	60	45	4"	309						303	298	292	283	274	264	253	242	232	213	194	176	156	133	105					Stainless Steel	MF	22	3831	211,60	
6H16-G8T	60	45	3"	394											300	290	280	269	259	235	211	186	158	127	94				Cast Iron	MF	22	3802	302,00	
6H17-S8T	60	45	3"	354												289	278	264	253	234	220	207	188	160	131				Stainless Steel	MF	26	4484	235,25	
6H21-G8T	60	45	3"	357												289	283	278	265	248	229	208	185	159	123	87	50		Cast Iron	MF	21	3694	296,00	
6H22-S8T	60	45	3"	341													279	269	255	244	226	212	200	182	155	127				Stainless Steel	MF	25	4370,5	232,60
6H25-P8T	60	45	3"	331												269	257	244	231	217	184	146	103	53					Noryl	MF	25	3000	197,20	

6" Vera™ - SUBMERSIBLE MULTISTAGE BOREHOLE ELECTRIC PUMPS FOR DEEP WELLS for min. 6-inch COMPLETE WITH 2 POLE MOTORS TO NEMA STANDARD.

TYPES		HP	KW	DNm Ø	Q = Performance at 2900 rpm																				Impeller material	Impeller RA=radial MF=mixed flow	no of impellers	Electropump Height in mms	Electropump Weight in kg					
1~ 230V 50Hz	3~ 400V 50Hz				m³/h	0	3	6	9	12	15	18	21	24	27	30	33	36	39	42	48	54	60	66						72	78	84	90	96
					l/m	0	50	100	150	200	250	300	350	400	450	500	550	600	650	700	800	900	1000	1100						1200	1300	1400	1500	1600
	6H31-S8T	60	45	3"	328									269	259	246	235	218	205	193	175	150	123					Stainless Steel	MF	24	4256,5	230,00		
	6H32-S8T	60	45	3"	316									259	249	237	227	210	197	186	169	145	119					Stainless Steel	MF	23	4143	227,50		
	6H33-S8T	60	45	3"	303									249	240	228	218	202	189	178	163	140	115					Stainless Steel	MF	22	4029	224,70		
	6J00-S8T	75	55	3"	699				590	566	542	518	493	467	438	405	364	314										Stainless Steel	MF	43	5417,5	282,80		
	6J05-S8T	75	55	3"	684				577	553	530	507	482	457	429	397	356	307										Stainless Steel	MF	42	5332,5	281,70		
	6J10-S8T	75	55	3"	668				564	541	518	496	472	447	419	388	348	301										Stainless Steel	MF	41	5247	280,60		
	6J15-S8T	75	55	3"	652				551	528	506	484	461	436	410	379	341	294										Stainless Steel	MF	40	5161,5	279,60		
	6J20-S8T	75	55	3"	637				538	515	494	473	450	426	400	371	333	288										Stainless Steel	MF	39	5076	277,40		
	6J25-S8T	75	55	3"	621				525	503	482	461	439	416	391	362	325	281										Stainless Steel	MF	38	4991	275,30		
	6J30-S8T	75	55	3"	556							488	472	453	432	413	393	373	333	298	254							Stainless Steel	MF	40	6300,5	299,50		
	6J35-S8T	75	55	3"	542							477	461	442	422	403	384	364	326	291	248							Stainless Steel	MF	39	6186,5	297,00		
	6J40-S8T	75	55	3"	529							465	450	432	412	394	375	356	318	285	243							Stainless Steel	MF	38	6072,5	294,30		
	6J45-S8T	75	55	3"	516							454	439	421	402	384	366	347	310	278	237							Stainless Steel	MF	37	5958,5	291,60		
	6J50-S8T	75	55	3"	503							442	428	410	392	374	357	338	303	271	231							Stainless Steel	MF	36	5844,5	289,00		
	6J55-S8T	75	55	3"	489							431	417	400	382	365	348	330	295	264	226							Stainless Steel	MF	35	5731	286,40		
	6J60-S8T	75	55	3"	476							419	406	389	372	355	338	321	287	257	220							Stainless Steel	MF	34	5617	283,50		
	6J65-S8T	75	55	3"	432										357	345	328	313	290	273	257	236	203	170				Stainless Steel	MF	31	5275,5	276,00		
	6J70-S8T	75	55	3"	419										346	334	318	304	281	265	249	229	198	165				Stainless Steel	MF	30	5161,5	273,40		
	6J75-S8T	75	55	3"	405										336	324	308	295	273	256	241	222	192	160				Stainless Steel	MF	29	5047,5	270,80		
	6J80-S8T	75	55	3"	392										325	313	298	285	264	248	234	215	186	155				Stainless Steel	MF	28	4934	268,10		
	6J85-S8T	75	55	3"	379										314	303	288	276	255	240	226	208	180	151				Stainless Steel	MF	27	4820	265,50		

• Reduction in speed will result in a fall of performance. • DO NOT RUN PUMP DRY! • Tolerances according to ISO 9906, Annex A.

Pump Executions Legenda:

- P** = noryl and polycarbonate corrosion and abrasion resistant and non toxic with Pump and Motor Casing in Stainless Steel. Pump Head and Motor Bracket in in Brass.
- S** = All Stainless Steel
- G** = Cast Iron with Motor Casing in Stainless Steel.
- Built-in check non-return valve to protect the pump against water hammer.